


型号及含义 Model and meaning



- ①: 按钮开关型号 Push button code
 ②: 设计序号 Design serial number
 ③: 头部类型 Operators
 ④: 表示常开触头 NO contact
 ⑤: 表示常闭触头 NC contact
 ⑥: 表示机械形式 Mechanical form

字母 letter	含义 Implication
BN	平钮 Flush push button
D	带灯钮 Illuminated push button
T	自锁钮 Maintained push button
TD	带灯自锁钮 Illuminated Maintained push button
M	蘑菇钮 Mushroom push button
MD	带灯蘑菇钮 Illuminated Mushroom button
MT	自锁蘑菇钮 Maintained Mushroom button
MTD	带灯自锁蘑菇钮 Illuminated Maintained Mushroom button
ZS	急停钮 Emergency stop button
Y	二位钥匙钮 2-Position keylock selector
YS	三位钥匙钮 3-Position keylock selector
X	短柄二档旋钮 2-Position short lever selector
XD	带灯短柄二档旋钮 Illuminated 2-Position short lever selector
XS	短柄三档旋钮 3-Position short lever selector
XSD	带灯短柄三档旋钮 Illuminated 3-Position short lever selector
CX	长柄二档旋钮 2-Position long lever selector
CXD	带灯长柄二档旋钮 Illuminated 2-Position long lever selector
CXS	长柄三档旋钮 3-Position long lever selector
CXSD	带灯长柄三档旋钮 Illuminated 3-Position long lever selector
R	双位钮 Dual push button
RD	带灯双位钮 Illuminated dual push button
H	高位钮 Extended push button
HD	带灯高位钮 Illuminated extended push button
HT	自锁高位钮 Maintained extended push button
HTD	带灯自锁高位钮 Illuminated Maintained extended push button
HF	高平钮 Higher flush button
B	平钮带符号 Flush button marked
E	φ30 平钮 (适用于 φ22-φ30 孔径) φ30 Flush button (Suitable for φ22 to φ30 mounting hole)

- ⑦: 表示颜色及旋钮钥匙钮动作功能和拔出位置
 Color, selector button and keylock button operation function and pulling out position

红	绿	黄	蓝	白	黑
R	G	Y	B	W	K

动作功能 spring return action		
f	fu	ffu
左自复 left to centre	右自复 right to centre	左右自复 Left-right to centre

- ⑧: 电压 (Voltage)
- | | |
|--------------|---------------|
| 21-DC.AC 6V | 26-DC.AC 110V |
| 22-DC.AC 12V | 27-DC.AC 127V |
| 23-DC.AC 24V | 28-DC 220V |
| 24-DC.AC 36V | 31-AC 220V |
| 25-DC.AC 48V | 32-AC 380V |

- ⑨: 标志钮符号代码 (Code of push button symbol)



- ⑩ A、B、C、D、E 字母开头为产品换代编号
 The letter A、B、C、D、E begins with the product evolution number
 I、P、K 字母开头为定制产品代码
 The letter T、P、K begins with the customized product code



使用环境条件 Working Environment







周围空气温度 -25℃ ~+40℃; Ambient air temperature -25℃ ~+40℃.
 海拔高度 ≤ 2000m; Altitude: ≤ 2000m.
 空气相对湿度 ≤ 90%; Relative air humidity: ≤ 90%.
 污染等级 3 级; Pollution degree: class 3.
 防护等级 IP40/IP65; Protection degree: IP40/IP65.

主要技术参数 Main Technical Parameter

开关额定值 Rated value of switch:
 AC-15 36V/10A 110V/10A 220V/5A 380V/2.7A 660V/1.8A
 DC-13 24V/4A 48V/4A 110V/2A 220V/1A 440V/0.6A
 约定发热电流 Conventional thermal current: Ith 10A.
 触点电阻 Contact resistance: ≤ 50mΩ
 绝缘电阻 Insulation resistance: ≥ 10MΩ
 机械寿命 Mechanical durability:
 一般钮 Common push-button ≥ 100x10⁴ 次 times;
 旋钮 Selector button ≥ 30x10⁴ 次 times.
 钥匙钮 Key push-button ≥ 5x10⁴ 次 times;
 紧急钮 Emergency push-button ≥ 5x10⁴ 次 times.




★ 为定制产品




描述 describe		尺寸 size
 LA115-A5-01BN/A01 LA115-A5-10BN/A01 LA115-A5-11BN/A01 自复型 Momentary		
LA115-A5-01T/A01 LA115-A5-10T/A01 LA115-A5-11T/A01 自锁型 Maintained 1NC 1NO 1NO+1NC		
 LA115-A5-01D/A01 LA115-A5-10D/A01 LA115-A5-11D/A01 带灯自复型 Momentary Illuminated		
LA115-A5-01TD/A01 LA115-A5-10TD/A01 LA115-A5-11TD/A01 带灯自锁型 Maintained Illuminated 1NC+D 1NO+D 1NO+1NC+D		
★ 字符可定制		
 LA115-A5-01B/A01 LA115-A5-10B/A01 自复型 Momentary		
LA115-A5-01TB/A01 自锁型 Maintained 1NC		
LA115-A5-11BD/A01 带灯自复型 Momentary Illuminated 1NO+1NC+D		
LA115-A5-11BDT/A01 带灯自锁型 Maintained Illuminated 1NO+1NC+D		

描述 describe		尺寸 size
 LA115-A5-01M/A01 LA115-A5-10M/A01 LA115-A5-11M/A01 自复型 Momentary		
 LA115-A5-01MT/A01 LA115-A5-10MT/A01 LA115-A5-11MT/A01 自锁型 Maintained		
 LA115-A5-01H/A01 LA115-A5-10H/A01 LA115-A5-11H/A01 自复型 Momentary		
 LA115-A5-01HT/A01 LA115-A5-10HT/A01 LA115-A5-11HT/A01 自锁型 Maintained		
 LA115-A5-01HD/A01 LA115-A5-10HD/A01 LA115-A5-11HD/A01 带灯自复型 Momentary Illuminated		
LA115-A5-01HTD/A01 LA115-A5-10HTD/A01 LA115-A5-11HTD/A01 带灯自锁型 Maintained Illuminated		





LA115-A/B 按钮系列







LA115-A/B button series


描述 describe	尺寸 size
 LA115-A5-01HF/A01 LA115-A5-10HF/A01 自复型 Momentary LA115-A5-01HFT/A01 自锁型 Maintained LA115-A5-11HFD/A01 带灯自复型 Momentary Illuminated LA115-A5-11HFTD/A01 带灯自锁型 Maintained Illuminated	
 LA115-A5-01MD/A01 LA115-A5-10MD/A01 LA115-A5-11MD/A01 带灯自复型 Momentary Illuminated LA115-A5-01MTD/A01 LA115-A5-10MTD/A01 LA115-A5-11MTD/A01 带灯自锁型 Maintained Illuminated	
 LA115-A5-10X/A01 LA115-A5-11X/A01 二档自锁型 Maintained 2-Position LA115-A5-10X/FU/A01 LA115-A5-11X/FU/A01 二档自复型 Momentary 2-Position LA115-A5-20XS/A01 LA115-A5-11XS/A01 三档自锁型 Momentary 3-Position LA115-A5-20XS/FFU/A01 LA115-A5-11XS/FFU/A01 三档自复型 Momentary 3-Position	

描述 describe	尺寸 size
 LA115-A5-10XD/A01 LA115-A5-11XD/A01 二档带灯自锁型 Maintained Illuminated 2-Position LA115-A5-10XD/FU/A01 LA115-A5-11XD/FU/A01 二档带灯自复型 Momentary Illuminated 2-Position LA115-A5-20XSD/A01 LA115-A5-11XSD/A01 三档带灯自锁型 Momentary Illuminated 3-Position LA115-A5-20XSD/FFU/A01 LA115-A5-11XSD/FFU/A01 三档带灯自复型 Momentary Illuminated 3-Position	
 LA115-A5-11R1/A01 自复型 Momentary LA115-A5-11RD1/A01 带灯自复型 Momentary Illuminated	
 LA115-A5-11R6/A01 自复型 Momentary LA115-A5-11RD6/A01 带灯自复型 Momentary Illuminated	

★ 为定制产品

描述 describe	尺寸 size
  自锁 Maintained  自复 Momentary	   
LA115-A5-10Y/A01 LA115-A5-11Y/A01 二档自锁型 Maintained 2-Position	1NO 1NO+1NC
LA115-A5-10Y/FU/A01 LA115-A5-11Y/FU/A01 二档自复型 Momentary 2-Position	1NO 1NO+1NC
  自锁 Maintained  由右至中和 由左至中自复 Momenta From R to C From L to C	 
LA115-A5-20YS/A01 LA115-A5-11YS/A01 三档自锁型 Momentary 3-Position	2NO 1NO+1NC
LA115-A5-20YS/FU/A01 三档自复型 Momentary 3-Position	2NO
  由左至中自复 Momenta From L to C  由右至中自复 Momenta From R to C	 
LA115-A5-01ZS/A01 LA115-A5-11ZS/A01 旋转释放 Twist Release	1NC 1NO+1NC
LA115-A5-01ZTD/A01 ★ LA115-A5-11ZTD/A01 ★ 带灯旋转释放 Twist Release Illuminated	1NC 1NO+1NC
LA115-A5-01ZT/A01 ★ LA115-A5-11ZT/A01 ★ 不带灯型 Non-illuminated	1NC 1NO+1NC





描述 describe	尺寸 size
   	 
LA115-A-01/A01 常闭触点模块 Contact block	NC
LA115-A-10/A01 常开触点模块 Contact block	NO
 	
LA115-A-D/A01 一体式 LED 灯座 Integrated lamp block	















LA115-A/B 按钮系列







LA115-A/B button series

★ 为定制产品

描述 describe	尺寸 size
 LA115-B5-01BN/A01 LA115-B5-10BN/A01 LA115-B5-11BN/A01 自复型 Momentary	
LA115-B5-01T/A01 LA115-B5-10T/A01 LA115-B5-11T/A01 自锁型 Maintained	
 LA115-B5-01D/A01 LA115-B5-10D/A01 LA115-B5-11D/A01 带灯自复型 Momentary Illuminated	
LA115-B5-01TD/A01 LA115-B5-10TD/A01 LA115-B5-11TD/A01 带灯自锁型 Maintained Illuminated	
★ 字符可定制 	
LA115-B5-01B/A01 LA115-B5-10B/A01 自复型 Momentary	1 I 2 O
LA115-B5-01TB/A01 自锁型 Maintained	3 ↑ 4 ↓
LA115-B5-11BD/A01 带灯自复型 Momentary Illuminated	5 II 6 III
LA115-B5-11BTD/A01 带灯自锁型 Maintained Illuminated	7 START 8 STOP
	9 ON 10 OFF
	11 OPEN 12 CLOSE

描述 describe	尺寸 size
 LA115-B5-01M/A01 LA115-B5-10M/A01 LA115-B5-11M/A01 自复型 Momentary	
LA115-B5-01MT/A01 LA115-B5-10MT/A01 LA115-B5-11MT/A01 自锁型 Maintained	
 LA115-B5-01H/A01 LA115-B5-10H/A01 LA115-B5-11H/A01 自复型 Momentary	
LA115-B5-01HT/A01 LA115-B5-10HT/A01 LA115-B5-11HT/A01 自锁型 Maintained	
 LA115-B5-01HD/A01 LA115-B5-10HD/A01 LA115-B5-11HD/A01 带灯自复型 Momentary Illuminated	
LA115-B5-01HTD/A01 LA115-B5-10HTD/A01 LA115-B5-11HTD/A01 带灯自锁型 Maintained Illuminated	



描述 describe	尺寸 size
 LA115-B5-01HF/A01 LA115-B5-10HF/A01 自复型 Momentary	 30 1.0 13.0 51.4
LA115-B5-01HFT/A01 自锁型 Maintained	 24.7 30.0 38.2
LA115-B5-10HFD/A01 带灯自复型 Momentary Illuminated	1NO+D
LA115-B5-10HFTD/A01 带灯自锁型 Maintained Illuminated	1NO+D
 LA115-B5-01MD/A01 LA115-B5-10MD/A01 LA115-B5-11MD/A01 带灯自复型 Momentary Illuminated	 29.0 1.0 23.5 51.4
LA115-B5-01MTD /A01 LA115-B5-10MTD/A01 LA115-B5-11MTD/A01 带灯自锁型 Maintained Illuminated	 30.0 40.0 38.2
 LA115-B5-10X/A01 LA115-B5-11X/A01 二档自锁型 Maintained 2-Position	 29.0 1.0 26.8 51.0 36.6
LA115-B5-10X/FU/A01 LA115-B5-11X/FU/A01 二档自复型 Momentary 2-Position	 24.7 30.0 38.2
LA115-B5-20XS/A01 LA115-B5-11XS/A01 三档自锁型 Momentary 3-Position	 L R L R 自锁 Maintained 自复 Maintained
LA115-B5-20XS/FFU/A01 LA115-B5-11XS/FFU/A01 三档自复型 Momentary 3-Position	2NO 1NO+1NC







描述 describe	尺寸 size
 LA115-B5-10XD/A01 LA115-B5-11XD/A01 二档带灯自锁型 Maintained Illuminated 2-Position	 29.0 1.0 26.8 51.0 36.6
LA115-B5-10XD/FU/A01 LA115-B5-11XD/FU/A01 二档带灯自复型 Momentary Illuminated 2-Position	 24.7 30.0 38.2
LA115-B5-20XSD/A01 LA115-B5-11XSD /A01 三档带灯自锁型 Momentary Illuminated 3-Position	 L C R L C R 自锁 Maintained 由右至中和由左至中自复 Momenta From R to C From L to C L C R L C R 由左至中自复 Momenta From L to C 由右至中自复 Momenta From R to C
LA115-B5-20XSD/FU/A01 LA115-B5-11XSD/FU/A01 三档带灯自复型 Momentary Illuminated 3-Position	2NO+D 1NO+1NC+D
 LA115-B5-11R1/A01 自复型 Momentary	 52.4 1.0 13.5 51.4
LA115-B5-11RD1/A01 带灯自复型 Momentary Illuminated	 29 52.4
LA115-B5-11R6/A01 自复型 Momentary	 56
LA115-B5-11RD6/A01 带灯自复型 Momentary Illuminated	 29


LA115-A/B 按钮系列




LA115-A/B button series





★ 为定制产品





描述 describe	尺寸 size
 L R 自锁 Maintained L R 自复 Momentary	
LA115-B5-10Y/A01 LA115-B5-11Y/A01 二档自锁型 Maintained 2-Position	1NO 1NO+1NC
LA115-B5-10Y/FU/A01 LA115-B5-11Y/FU/A01 二档自复型 Momentary 2-Position	1NO 1NO+1NC
 L C R 自锁 Maintained L C R 由右至中和 由左至中自复 Momenta From R to C From L to C	
LA115-B5-20YS/A01 LA115-B5-11YS/A01 三档自锁型 Momentary 3-Position	2NO 1NO+1NC
LA115-B5-20YS/FFU/A01 三档自复型 Momentary 3-Position	2NO
	
LA115-B5-01ZS/A01 LA115-B5-11ZS/A01 旋转释放 Twist Release	1NC 1NO+1NC
LA115-B5-01ZTD/A01 ★ LA115-B5-11ZTD/A01 ★ 带灯旋转释放 Twist Release Illuminated	1NC 1NO+1NC
LA115-B5-01ZT/A01 ★ LA115-B5-11ZT/A01 ★ 不带灯型 Non-illuminated	1NC 1NO+1NC





描述 describe	尺寸 size
 	 接线示意图 Light connecting terminals
LA115-A-01 常闭触点模块 Contact block	NC
 	 接线示意图 Light connecting terminals
LA115-A-10 常开触点模块 Contact block	NO
 	 接线示意图 Light connecting terminals
LA115-A-D/A01 一体式 LED 灯座 Integrated lamp block	













描述 describe	尺寸 size
  LA115-A5-10BN 自复型 Momentary LA115-A5-10T 自锁型 Maintained LA115-A5-10D 带灯自复型 Momentary Illuminated LA115-A5-10TD 带灯自锁型 Maintained Illuminated	
  LA115-A5-10B 自复型 Momentary LA115-A5-10BT 自锁型 Maintained LA115-A5-10BD 带灯自复型 Momentary Illuminated LA115-A5-10BTD 带灯自锁型 Maintained Illuminated	
  LA115-A5-10H 自复型 Momentary LA115-A5-10HT 自锁型 Maintained LA115-A5-10HD 带灯自复型 Momentary Illuminated LA115-A5-10HTD 带灯自锁型 Maintained Illuminated	

描述 describe	尺寸 size
  LA115-A5-10HF 自复型 Momentary LA115-A5-10HFT 自锁型 Maintained LA115-A5-10HFD 带灯自复型 Momentary Illuminated LA115-A5-10HFTD 带灯自锁型 Maintained Illuminated	
  LA115-A5-10M 自复型 Momentary LA115-A5-10MT 自锁型 Maintained LA115-A5-10MD 带灯自复型 Momentary Illuminated LA115-A5-10MTD 带灯自锁型 Maintained Illuminated	
  LA115-A5-10X 两档自锁型 Two-speed Maintained type LA115-A5-10X/FU 两档自复型 Two-speed self-recovery	
  LA115-A5-10XD 两档自锁型 Two-speed Maintained type LA115-A5-10XD/FU 两档自复型 Two-speed self-recovery	

描述 describe	尺寸 size
 LA115-A5-20XS 三档自锁型 Three-speed Maintained type	
LA115-A5-20XS/FU 三档自复型 Three-speed self-recovery	
 LA115-A5-20XSD 带灯自锁型 Maintained Illuminated	 自锁 由右至中和由左至中自复 Maintained Momentary From R to C From L to C
LA115-A5-20XSD/FU 带灯自复型 Momentary Illuminated	 由左至中自复 由右至中自复 Momentary From L to C Momentary From R to C
 LA115-A5-10Y 两档自锁型 Maintained 2-Position	
LA115-A5-10Y/FU 两档自复型 Momentary 2-Position	
 LA115-A5-10YS 三档自锁型 Maintained 3-Position	 自锁 自复 Maintained Momentary
LA115-A5-10YS/FU 三档自复型 Momentary 3-Position	 自锁 由右至中和由左至中自复 Maintained Momentary From R to C From L to C

描述 describe	尺寸 size
 LA115-A5-11ZT 旋转或拉拔释放不带灯型 Twist Release Pull Release Non-illuminated	
 LA115-A5-11ZF 旋转或拉拔释放带灯型 Twist Release Pull Release illuminated	
 LA115-A5-01ZS 旋转释放不带灯型 Twist Release Non-illuminated	
 LA115-A5-11R1 不带灯自复型 Momentary Non-illuminated	 R R1 R2 R3 R4 R5 R6 R7
LA115-A5-11RD1 带灯自复型 Momentary Illuminated	

描述 describe	尺寸 size
Φ22~Φ30  LA115-A5-10E 自复型 Momentary LA115-A5-10ET 自锁型 Maintained LA115-A5-10ED 带灯自复型 Momentary Illuminated LA115-A5-10ETD 带灯自锁型 Maintained Illuminated	 
Φ22~Φ30  LA115-A5-10EB 自复型 Momentary LA115-A5-10EBT 自锁型 Maintained LA115-A5-10EBD 带灯自复型 Momentary Illuminated LA115-A5-10EBTD 带灯自锁型 Maintained Illuminated	 
Φ22~Φ30  LA115-A5-10EH 自复型 Momentary LA115-A5-10ETH 自锁型 Maintained LA115-A5-10EHD 带灯自复型 Momentary Illuminated LA115-A5-10EHTD 带灯自锁型 Maintained Illuminated	 




描述 describe	尺寸 size
Φ22~Φ30  LA115-A5-10EX 自锁型二档旋钮 Maintained 2-Position LA115-A5-11EX 自锁型二档旋钮 Maintained 2-Position LA115-A5-20EXS 自锁型三档旋钮 Maintained 3-Position LA115-A5-11EXS 自锁型三档旋钮 Maintained 3-Position	 
Φ22~Φ30  LA115-A5-10EM 自复型 Momentary LA115-A5-11EM 自复型 Momentary LA115-A5-10EMT 自锁型 Maintained LA115-A5-10EMD 带灯自复型 Momentary Illuminated LA115-A5-11EMD 带灯自复型 Momentary Illuminated LA115-A5-10EMTD 带灯自锁型 Maintained Illuminated	 








Maintained
2-Position
自锁型二档旋钮










Maintained
3-Position
自锁型三档旋钮



描述 describe	尺寸 size
 	
LA115-B5-10BN 自复型 Momentary	
LA115-B5-10T 自锁型 Maintained	
LA115-B5-10D 带灯自复型 Momentary Illuminated	
LA115-B5-10TD 带灯自锁型 Maintained Illuminated	
 	
LA115-B5-10B 自复型 Momentary	
LA115-B5-10BT 自锁型 Maintained	
LA115-B5-10BD 带灯自复型 Momentary Illuminated	
LA115-B5-10BTD 带灯自锁型 Maintained Illuminated	
 	
LA115-B5-10H 自复型 Momentary	
LA115-B5-10HT 自锁型 Maintained	
LA115-B5-10HD 带灯自复型 Momentary Illuminated	
LA115-B5-10HTD 带灯自锁型 Maintained Illuminated	

描述 describe	尺寸 size
 	
LA115-B5-10HF 自复型 Momentary	
LA115-B5-10HFT 自锁型 Maintained	
LA115-B5-10HFD 带灯自复型 Momentary Illuminated	
LA115-B5-10HFTD 带灯自锁型 Maintained Illuminated	
 	
LA115-B5-10M 自复型 Momentary	
LA115-B5-10MT 自锁型 Maintained	
LA115-B5-10MD 带灯自复型 Momentary Illuminated	
LA115-B5-10MTD 带灯自锁型 Maintained Illuminated	
 	
LA115-B5-10X 两档自锁型 Maintained 2-Position	
LA115-B5-10X/FU 两档自复型 Momentary 2-Position	
LA115-B5-10XD 带灯自锁型 Maintained Illuminated 2-Position	
LA115-B5-10XD/FU 带灯自复型 Momentary Illuminated 2-Position	


描述 describe	尺寸 size
 LA115-B5-10Y 两档自锁型 Maintained 2-Position	
LA115-B5-11Y 两档自锁型 Maintained 2-Position	
LA115-B5-10Y/FU 两档自复型 Momentary 2-Position	
 LA115-B5-20YS 三档自锁型 Maintained 3-Position	 自锁 Maintained 自复 Momentary 自锁 Maintained 由右至中和 由左至中自复 Momentary From R to C From L to C
LA115-B5-20YS/FU 三档自复型 Momentary 3-Position	
LA115-B5-20YS/FFU 三档自复型 Momentary 3-Position	 由左至中自复 Momentary From L to C 由右至中自复 Momentary From R to C
 LA115-B5-11R1 不带灯自复型 Momentary Non-illuminated	 R R1 R2 R3 R4 R5 R6 R7
LA115-B5-11RD1 带灯自复型 Momentary Illuminated	

描述 describe	尺寸 size
 LA115-B5-01ZT 旋转或拉拔释放不带灯型 Twist Release Pull Release Non-illuminated	
LA115-B5-11ZT 旋转或拉拔释放不带灯型 Twist Release Pull Release Non-illuminated	
 LA115-B5-01ZF 旋转或拉拔释放带灯型 Twist Release Pull Release illuminated	
LA115-B5-11ZF 旋转或拉拔释放带灯型 Twist Release Pull Release illuminated	
 LA115-B5-01ZS 旋转释放不带灯型 Twist Release Non-illuminated	
LA115-B5-11ZS 旋转释放不带灯型 Twist Release Non-illuminated	

描述 describe	尺寸 size
Φ22~Φ30 	
LA115-B5-10E 自复型 Momentary	
LA115-B5-10ET 自锁型 Maintained	
LA115-B5-10ED 带灯自复型 Momentary Illuminated	
LA115-B5-10ETD 带灯自锁型 Maintained Illuminated	
Φ22~Φ30 	
LA115-B5-10EB 自复型 Momentary	
LA115-B5-10EBT 自锁型 Maintained	
LA115-B5-10EBD 带灯自复型 Momentary Illuminated	
LA115-B5-10EBTD 带灯自锁型 Maintained Illuminated	
Φ22~Φ30 	
LA115-B5-10EH 自复型 Momentary	
LA115-B5-10EHT 自锁型 Maintained	
LA115-B5-10EHD 带灯自复型 Momentary Illuminated	
LA115-B5-10EHTD 带灯自锁型 Maintained Illuminated	




描述 describe	尺寸 size
Φ22~Φ30 	
LA115-B5-10EX 自锁型二档旋钮 Maintained 2-Position	
LA115-B5-11EX 自锁型二档旋钮 Maintained 2-Position	
LA115-B5-20EXS 自锁型三档旋钮 Maintained 3-Position	
LA115-B5-11EXS 自锁型三档旋钮 Maintained 3-Position	
 L R Maintained 2-Position 自锁型二档旋钮	 L C R Maintained 3-Position 自锁型三档旋钮
Φ22~Φ30 	
LA115-B5-10EM 自复型 Momentary	
LA115-B5-11EM 自复型 Momentary	
LA115-B5-10EMT 自锁型 Maintained	
LA115-B5-10EMD 带灯自复型 Momentary Illuminated	
LA115B5-11EMD 带灯自复型 Momentary Illuminated	
LA115B5-10EMTD 带灯自锁型 Maintained Illuminated	

描述 describe	颜色 Color
 Flush Button LA115-5-BN 平钮头部 (自复) Momentary LA115-5-T 平钮头部 (自锁) Maintained	
 Flush Button Illuminated LA115-5-D 平钮头部 (带灯自复) Momentary LA115-5-TD 平钮头部 (带灯自锁) Maintained	
 Extended Button LA115-5-H 凸钮头部 (自复) Momentary LA115-5-HT 凸钮头部 (自锁) Maintained	
 Extended Button Illuminated LA115-5-HD 凸钮头部 (带灯自复) Momentary LA115-5-HTD 凸钮头部 (带灯自锁) Maintained	
 Mushroom Button LA115-5-M 蘑菇钮头部 (自复) Momentary LA115-5-MT 蘑菇钮头部 (自锁) Maintained	
 Mushroom Button Illuminated LA115-5-MD 蘑菇钮头部 (带灯自复) Momentary LA115-5-MTD 蘑菇钮头部 (带灯自锁) Maintained	

描述 describe	颜色 Color
 Flush Button Maked LA115-5-B/7 平钮头部 (自复) Momentary LA115-5-BT/7 平钮头部 (自锁) Maintained	
 Flush Button Maked Illuminated LA115-5-B/7 平钮头部 (带灯自复) Momentary LA115-5-BT/7 平钮头部 (带灯自锁) Maintained	
 Short Handle Selector LA115-5-XS/FU 两 / 三档自复旋钮 Momentary Two-Positon LA115-5-X 两 / 三档自锁旋钮 MaintainedTwo-Positon	
 Short Handle Selector Illuminated LA115-5-XSD/FU 两 / 三档自复旋钮 (带灯型) Momentary 2/3-Positon LA115-5-XS 两 / 三档自锁旋钮 (带灯型) Maintained 2/3-Positon	
 Short Handle Selector LA115-5-EXS/FU 两 / 三档自复旋钮 Momentary 2/3-Positon LA115-5-EX 两 / 三档自锁旋钮 Maintained 2/3-Positon	
 key-operated Selector LA115-5-YS/FFU 两 / 三档自复型 Momentary 2/3-Positon LA115-5-Y 两 / 三档自锁型 Maintained 2/3-Positon	

描述 describe	颜色 Color
 LA115-5-HF 高平钮头部 (自复) Momentary LA115-5-HFT 高平钮头部 (自锁) Maintained Higher Flush Button	
 LA115-5-HFD 高平钮头部 (带灯自复) Momentary LA115-5-HFTD 高平钮头部 (带灯自锁) Maintained Higher Flush Button Illuminated	
 LA115-5-RD LA115-5-RD1 LA115-5-RD2 LA115-5-RD3 LA115-5-RD4 LA115-5-RD5 LA115-5-RD6 LA115-5-RD7 Double (Flush Button) Illuminated 双键带灯平钮	
 LA115-5-ZT 旋转或者拉拔释放 不带灯型 Twist Release Pull Release Non-illuminated Emergency Stop Pushbutton	
 LA115-5-ZF 旋转或者拉拔释放 带灯型 Twist Release Pull Release Illuminated Emergency Stop Pushbutton	

描述 describe	颜色 Color
 LA115-5-E 平钮头部 (自复) Momentary LA115-5-ET 平钮头部 (自锁) Maintained Φ22~Φ30	
 LA115-5-ED 平钮头部 (自复) Momentary LA115-5-ETD 平钮头部 (自锁) Maintained Φ22~Φ30	
 LA115-5-EH 凸钮头部 (自复) Momentary LA115-5-EHT 凸钮头部 (自锁) Maintained Flush Button Φ22~Φ30	
 LA115-5-EHD/Y 凸钮头部 (带灯自复) Momentary LA115-5-EHTD/Y 凸钮头部 (带灯自锁) Maintained Extended Button Φ22~Φ30	
 LA115-5-EHD/Y 凸钮头部 (带灯自复) Momentary LA115-5-EHTD/Y 凸钮头部 (带灯自锁) Maintained Extended Button Illuminated	

样式 Photo	描述 Description	样式 Photo	描述 Description	
	NO  LA115-A-10 常开触点模块 Contact block		LA115-A-Z A 型中座 (可接三副模块) For three blocks	
	NC  LA115-A-01 常闭触点模块 Contact block		LA115-B-Z B 型中座 (可接一副模块) For one block	
	 LA115-A-D1 BA9S 灯座 base		1NC	LA115-A-Z01
			1NO	LA115-A-Z10
			1NO 1NC	LA115-A-Z11
	 LA115-A-D2 一体式 LED 灯座 Integrated lamp block		1NC	LA115-B-Z01
			1NO	LA115-B-Z10
			1NO 1NC	LA115-B-Z11
	NO  NC  LA115-B-11 1 常开 1 常闭触点模块 (B 型) Contact block		R-- 红色 (red) G-- 绿色 (green) Y-- 黄色 (yellow) B-- 蓝色 (blue) W-- 白色 (white)	
		BA9SA/ ▲		
	R-- 红色 B-- 蓝色 G-- 绿色 W-- 白色 Y-- 黄色 一体式 LED 灯座 (B 型) Lamp block with LED		LA115-22FF 紧固圈 (防松) 默认不带螺丝 Fastening ring (anti loosening) No screws by default	
	LA15-A3-10BN 自复型 Momentary			
	LA15-A3-11BN 自复型 Momentary			
	LA15-A3-10T 自锁型 Maintained			
	LA15-A3-11T 自锁型 Maintained			