


型号说明 MODEL & EXPLANATION




- ①: GL: 金属按钮; GD: 金属指示灯; GDM: 金属蜂鸣器
GL: Metal button; GD: Metal indicator; GDM: Metal buzzer
- ②: 安装孔径 Mounting aperture
- ③: 形状 :B: 球形 (长壳体); BA: 球形 (短壳体); BC: 大头球形; BE: 圆外套球形; BF: 方外套球形; BP: 半塑料球形; F: 平钮 (长壳体); FA: 平钮 (短壳体); FC: 大头平钮; FE: 圆外套平钮; FF: 方外套平钮; H: 凸钮 (长壳体); HA: 凸钮 (短壳体); HE: 圆外套凸钮; HF: 方外套凸钮;
Shape: B: Spherical (Long shell); BA: Spherical (Short shell); BC: Spherical (Big head); BE: Spherical (Round coat); BF: Spherical (Square coat); BP: Spherical (Half plastic); F: Flat button (Long shell); FA: Flat button (Short shell); FC: Flat button (Big head); FE: Flat button (Round coat); FF: Flat button (Square coat); H: High button (Long shell); HA: High button (Short shell); HE: High button (Round coat); HF: High button (Square coat)
- ④: 常开触头 NO contact
- ⑤: 常闭触头 NC contact
- ⑥: T: 自锁; X: 二档旋钮; XS: 三档旋钮; M: 蘑菇钮; Y: 二档钥匙钮; YS: 三档钥匙钮; Z: 急停; ZC: 大头急停
T: aintained ush button; X: 2-Position Selector button; XS: 3-Position Selector button; M: Mushroom push button; Y: 2-Position keylock selector; YS: 3-Position keylock selecto; Z: Emergency stop button; ZC: mer qency stop button (Big head)
- ⑦: 发光形式: E: 环形; D: 单点; S: 电源指示
Luminous form: E: Annular; D: Single point; S: Power indication
- ⑧: 颜色 Colour: R(红色); G(绿色); Y(黄色); B(蓝色); W(白色); K(黑色)
- ⑨: 电压 Voltage: AC.DC-21:6V; 22:12V; 23:24V; 24:36V; 25:48V; 26:110V; 27:127V; 28:220V
- ⑩: 外壳材料: A: 铝合金; N: 铜镀铬; S: 不锈钢; P: 塑料
Shell material: A: Aluminium alloy; N: Copper chromium plating; S: Stainless steel; P: Plastic
- ⑪: 接线方式: J: 焊接脚; X: 带线; 没有; 默认接线柱
Connection mode: J: Welding; X: Belt line; No; Default Terminal

产品样式 (描述) Product style (description)	型号 Model	产品样式 (描述) Product style (description)	型号 Model
 安装孔径 Φ6mm Mounting aperture	24V 绿色 G 铜镀铬 Copper chromium plating GD-6F/G23-NX	 安装孔径 Φ19mm Mounting aperture	24V 绿色 G 铜镀铬 Copper chromium plating GD-19F/R23-N
	24V 黄色 Y 不锈钢 Stainless steel GD-6F/Y23-SX		24V 黄色 Y 不锈钢 Stainless steel GD-19F/Y23-S
 安装孔径 Φ6mm Mounting aperture	24V 红色 R 铜镀铬 Copper chromium plating GD-8F/R23-NJ	 安装孔径 Φ22mm Mounting aperture	24V 红色 R 铜镀铬 Copper chromium plating GD-22F/G23-N
	24V 红色 R 不锈钢 Stainless steel GD-8F/R23--SJ		24V 红色 R 不锈钢 Stainless steel GD-22F/Y23-S
 安装孔径 Φ12mm Mounting aperture	24V 绿色 G 铜镀铬 Copper chromium plating GD-12F/G23-N	 安装孔径 Φ25mm Mounting aperture	24V 蓝色 B 铜镀铬 Copper chromium plating GD-25F/B23-N
	24V 白色 W 不锈钢 Stainless steel GD-12F/W23-S		24V 黄色 Y 不锈钢 Stainless steel GD-25F/Y23-S
 安装孔径 Φ16mm Mounting aperture	24V 绿色 G 铜镀铬 Copper chromium plating GD-16F/G23-N	 安装孔径 Φ30mm Mounting aperture	24V 白色 W 铜镀铬 Copper chromium plating GD-30F/W23-N
	24V 蓝色 B 不锈钢 Stainless steel GD-16F/B23-S		24V 黄色 Y 不锈钢 Stainless steel GD-30F/Y23-S

产品样式 Product style	描述 description		外壳材料 Shell material	型号 Model
 安装孔径 Φ16mm Mounting aperture	24V 蜂鸣器 Metal buzzer		铜镀铬 Copper chromium plating	GDM-16BE/R23-N
	24V 蜂鸣器 Metal buzzer		不锈钢 Stainless steel	GDM-16BE/R23-S
 安装孔径 Φ19mm Mounting aperture	24V 蜂鸣器 Metal buzzer		铜镀铬 Copper chromium plating	GDM-19BE/R23-N
	24V 蜂鸣器 Metal buzzer		不锈钢 Stainless steel	GDM-19BE/R23-S
 安装孔径 Φ22mm Mounting aperture	24V 蜂鸣器 Metal buzzer		铜镀铬 Copper chromium plating	GDM-22BE/R23-N
	24V 蜂鸣器 Metal buzzer		不锈钢 Stainless steel	GDM-22BE/R23-S
 安装孔径 Φ12mm Mounting aperture	1NO 自复钮 Momentary	大头球形 / 接线柱 Spherical (Big head)/Terminal	铜镀铬 Copper chromium plating	GL-12BC10-N
			不锈钢 Stainless steel	GL-12BC10-S
	1NO 自复钮 Momentary	大头球形 / 焊接脚 Spherical (Big head)/Weldingl	铜镀铬 Copper chromium plating	GL-12BC10-NJ
			不锈钢 Stainless steel	GL-12BC10-SJ
	1NO+1NC 自复钮 Momentary	大头球形 / 焊接脚 Spherical (Big head)/Weldingl	铜镀铬 Copper chromium plating	GL-12BC11-NJ
			不锈钢 Stainless steel	GL-12BC11-SJ
 安装孔径 Φ12mm Mounting aperture	1NO 自复钮 Momentary	大头球形 / 接线柱 Spherical (Big head)/Terminal	铜镀铬 Copper chromium plating	GL-12FC10-N
			不锈钢 Stainless steel	GL-12FC10-S
	1NO 自复钮 Momentary	大头球形 / 焊接脚 Spherical (Big head)/Weldingl	铜镀铬 Copper chromium plating	GL-12FC10-NJ
			不锈钢 Stainless steel	GL-12FC10-SJ
	1NO+1NC 自复钮 Momentary	大头球形 / 焊接脚 Spherical (Big head)/Weldingl	铜镀铬 Copper chromium plating	GL-12FC11-NJ
			不锈钢 Stainless steel	GL-12FC11-SJ
  安装孔径 Φ12mm Mounting aperture	1NO 自复钮 Momentary	大头球形 / 接线柱 Spherical (Big head)/Terminal	铜镀铬 Copper chromium plating	GL-12BP10-N
			不锈钢 Stainless steel	GL-12BP10-S
	1NO 自复钮 Momentary	大头球形 / 焊接脚 Spherical (Big head)/Weldingl	铜镀铬 Copper chromium plating	GL-12BP10-NJ
			不锈钢 Stainless steel	GL-12BP10-SJ
	1NO+1NC 自复钮 Momentary	大头球形 / 焊接脚 Spherical (Big head)/Weldingl	铜镀铬 Copper chromium plating	GL-12BP11-NJ
			不锈钢 Stainless steel	GL-12BP11-SJ

产品样式 Product style	描述 description		外壳材料 Shell material	型号 Model
 安装孔径 Φ12mm Mounting aperture	1NO 自复钮 Momentary	平钮 / 焊接脚 Flat button/Weldingl	铜镀铬 Copper chromium plating	GL-12F10-NJ
			不锈钢 Stainless steel	GL-12F10-SJ
	1NO 自锁钮 Maintained	平钮 / 焊接脚 Flat button/Weldingl	铜镀铬 Copper chromium plating	GL-12F10T-NJ
			不锈钢 Stainless steel	GL-12F10T-SJ
 安装孔径 Φ12mm Mounting aperture	1NO 自复钮 Momentary	凸钮 / 焊接脚 High button/Weldingl	铜镀铬 Copper chromium plating	GL-12H10-NJ
			不锈钢 Stainless steel	GL-12H10-SJ
	1NO 自锁钮 Maintained	凸钮 / 焊接脚 High button/Weldingl	铜镀铬 Copper chromium plating	GL-12H10T-NJ
			不锈钢 Stainless steel	GL-12H10T-SJ
 安装孔径 Φ12mm Mounting aperture	(24V 红色 R) 1NO 自复钮 Momentary	平钮 / 焊接脚 (环形带灯) Flat button/Weldingl(Annular belt lamp)	铜镀铬 Copper chromium plating	GL-12F10E/R23-NJ
			不锈钢 Stainless steel	GL-12F10E/R23-SJ
	(24V 红色 R) 1NO 自锁钮 Maintained	平钮 / 焊接脚 (环形带灯) Flat button/Weldingl(Annular belt lamp)	铜镀铬 Copper chromium plating	GL-12F10TE/R23-NJ
			不锈钢 Stainless steel	GL-12F10TE/R23-SJ
 安装孔径 Φ12mm Mounting aperture	(24V 红色 R) 1NO 自复钮 Momentary	凸钮 / 焊接脚 (单点带灯) High button/Weldingl (Single point belt lamp)	铜镀铬 Copper chromium plating	GL-12H10D/R23-NJ
			不锈钢 Stainless steel	GL-12H10D/R23-SJ
	(24V 红色 R) 1NO 自锁钮 Maintained	凸钮 / 焊接脚 (单点带灯) High button/Weldingl (Single point belt lamp)	铜镀铬 Copper chromium plating	GL-12H10TD/R23-NJ
			不锈钢 Stainless steel	GL-12H10TD/R23-SJ
 安装孔径 Φ12mm Mounting aperture	(24V 红色 R) 1NO 自复钮 Momentary	凸钮 / 焊接脚 (环形带灯) High button/Weldingl (Annular belt lamp)	铜镀铬 Copper chromium plating	GL-12H10E/R23-NJ
			不锈钢 Stainless steel	GL-12H10E/R23-SJ
	(24V 红色 R) 1NO 自锁钮 Maintained	凸钮 / 焊接脚 (环形带灯) High button/Weldingl (Annular belt lamp)	铜镀铬 Copper chromium plating	GL-12H10TE/R23-NJ
			不锈钢 Stainless steel	GL-12H10TE/R23-SJ
 安装孔径 Φ16mm Mounting aperture	1NO 自复钮 Momentary	球形 / 接线柱 Spherical/Terminal	铜镀铬 Copper chromium plating	GL-16BA10-N
			不锈钢 Stainless steel	GL-16BA10-S
	1NO 自复钮 Momentary	球形 / 焊接脚 Spherical/Weldingl	铜镀铬 Copper chromium plating	GL-16BA10-NJ
			不锈钢 Stainless steel	GL-16BA10-SJ
 安装孔径 Φ16mm Mounting aperture	1NO 自复钮 Momentary	平钮 / 接线柱 Flat button/Terminal	铜镀铬 Copper chromium plating	GL-16FA10-N
			不锈钢 Stainless steel	GL-16FA10-S
	1NO 自复钮 Momentary	平钮 / 焊接脚 Flat button/Weldingl	铜镀铬 Copper chromium plating	GL-16FA10-NJ
			不锈钢 Stainless steel	GL-16FA10-SJ

产品样式 Product style	描述 Description		外壳材料 Shell material	型号 Model	
 安装孔径 Φ16mm Mounting aperture	1NO 自复钮 Momentary	凸钮 / 接线柱 High button/Terminal	铜镀铬 Copper chromium plating	GL-16HA10-N	
			不锈钢 Stainless steel	GL-16HA10-S	
	1NO 自复钮 Momentary	凸钮 / 焊接脚 High button /Weldingl	铜镀铬 Copper chromium plating	GL-16HA10-NJ	
			不锈钢 Stainless steel	GL-16HA10-SJ	
 安装孔径 Φ16mm Mounting aperture	(24V 红色 R) 1NO 自复钮 Momentary	平钮 / 焊接脚 (环形带灯) Flat button/Weldingl (Annular belt lamp)	铜镀铬 Copper chromium plating	GL-16FA10E/R23-NJ	
			不锈钢 Stainless steel	GL-16FA10E/R23-SJ	
	(24V 红色 R) 1NO 自复钮 Momentary	凸钮 / 焊接脚 (环形带灯) High button/Weldingl (Annular belt lamp)	铜镀铬 Copper chromium plating	GL-16HA10E/R23-NJ	
			不锈钢 Stainless steel	GL-16HA10E/R23-SJ	
 安装孔径 Φ16mm Mounting aperture	(24V 红色 R)1NO 自复钮 Momentary	平钮 / 焊接脚 (电源指示) Flat button/Weldingl (Power indication)	铜镀铬 Copper chromium plating	GL-16FA10S/R23-NJ	
			不锈钢 Stainless steel	GL-16FA10S/R23-SJ	
	(24V 红色 R) 1NO 自复钮 Momentary	凸钮 / 焊接脚 (电源指示) High button/Weldingl (Power indication)	铜镀铬 Copper chromium plating	GL-16HA10S/R23-NJ	
			不锈钢 Stainless steel	GL-16HA10S/R23-SJ	
 安装孔径 Φ16mm Mounting aperture	平钮 (自复钮)/ 焊接脚 Flat button(Momentary)/Weldingl	1NO+1NC	铜镀铬 Copper chromium plating	GL-16F11-NJ	
		2NO+2NC	不锈钢 Stainless steel	GL-16F22-SJ	
	平钮 (自锁钮)/ 焊接脚 Flat button(Maintained)/Weldingl	1NO+1NC	铜镀铬 Copper chromium plating	GL-16F11T-NJ	
		2NO+2NC	不锈钢 Stainless steel	GL-16F22T-SJ	
	凸钮 (自复钮)/ 焊接脚 High button(Momentary)/ Weldingl	1NO+1NC	铜镀铬 Copper chromium plating	GL-16H11-NJ	
		2NO+2NC	不锈钢 Stainless steel	GL-16H22-SJ	
	凸钮 (自锁钮)/ 焊接脚 High button(Maintained)/ Weldingl	1NO+1NC	铜镀铬 Copper chromium plating	GL-16H11T-NJ	
		2NO+2NC	不锈钢 Stainless steel	GL-16H22T-SJ	
 安装孔径 Φ16mm Mounting aperture	(24V 红色 R) 平钮 焊接脚 (环形带灯) Flat button Weldingl (Annular belt lamp)	自复钮 Momentary	1NO+1NC	铜镀铬 Copper chromium plating	GL-16F11E/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-16F22E/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 Copper chromium plating	GL-16F11TE/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-16F22TE/R23-SJ
	(24V 红色 R) 凸钮 焊接脚 (环形带灯) High button Weldingl (Annular belt lamp)	自复钮 Momentary	1NO+1NC	铜镀铬 Copper chromium plating	GL-16H11E/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-16H22E/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 Copper chromium plating	GL-16H11TE/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-16H22TE/R23-SJ

产品样式 Product style	描述 description			外壳材料 Shell material	型号 Model
 安装孔径 Φ16mm Mounting aperture	(24V 红色 R) 平钮 焊接脚 (电源指示) Flat button Weldingl (Power indication)	自复钮 Momentary	1NO+1NC	铜镀铬 Copper chromium plating	GL-16F11S/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-16F11S/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 Copper chromium plating	GL-16F11TS/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-16F11TS/R23-SJ
	(24V 红色 R) 凸钮 焊接脚 (电源指示) High button Weldingl (Power indication)	自复钮 Momentary	1NO+1NC	铜镀铬 Copper chromium plating	GL-16H11S/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-16H11S/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 Copper chromium plating	GL-16H11TS/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-16H11TS/R23-SJ

GL-16 壳体可电镀彩色 The shell can be plated with color



产品样式 Product style	描述 description		外壳材料 Shell material	型号 Model	
 安装孔径 Φ19mm Mounting aperture	1NO 自复钮 Momentary	球形钮 / 接线柱 Spherical button/ Terminal	铜镀铬 Copper chromium piating	GL-19BA10-N	
			不锈钢 Stainless steel	GL-19BA10-S	
 安装孔径 Φ19mm Mounting aperture	1NO 自复钮 Momentary	球形钮 / 焊接脚 Spherical button/Weldingl	铜镀铬 Copper chromium piating	GL-19BA10-NJ	
			不锈钢 Stainless steel	GL-19BA10-SJ	
 安装孔径 Φ19mm Mounting aperture	1NO 自复钮 Momentary	平钮 / 接线柱 Flat button/ Terminal	铜镀铬 Copper chromium piating	GL-19FA10-N	
			不锈钢 Stainless steel	GL-19FA10-S	
 安装孔径 Φ19mm Mounting aperture	1NO 自复钮 Momentary	平钮 / 焊接脚 Flat button/Weldingl	铜镀铬 Copper chromium piating	GL-19FA10-NJ	
			不锈钢 Stainless steel	GL-19FA10-SJ	
 安装孔径 Φ19mm Mounting aperture	1NO 自复钮 Momentary	凸钮 / 接线柱 High button/ Terminal	铜镀铬 C opper chromium piating	GL-19HA10-N	
			不锈钢 Stainless steel	GL-19HA10-S	
 安装孔径 Φ19mm Mounting aperture	1NO 自复钮 Momentary	凸钮 / 焊接脚 High button/Weldingl	铜镀铬 C opper chromium piating	GL-19HA10-NJ	
			不锈钢 Stainless steel	GL-19HA10-SJ	
 安装孔径 Φ19mm Mounting aperture	(24V 红色 R) 1NO 自复钮 Momentary	平钮 / 接线柱 (环形带灯) Flat button/ Terminal (Annular belt lamp)	铜镀铬 C opper chromium piating	GL-19FA10E/R23-N	
			不锈钢 Stainless steel	GL-19FA10E/R23-S	
	(24V 红色 R) 1NO 自复钮 Momentary	平钮 / 焊接脚 (环形带灯) Flat button/Weldingl (Annular belt lamp)	铜镀铬 C opper chromium piating	GL-19FA10E/R23-NJ	
			不锈钢 Stainless steel	GL-19FA10E/R23-SJ	
	平钮 / 焊接脚 Flat button/Weldingl	自复钮 Momentary	1NO+1NC	铜镀铬 C opper chromium piating	GL-19F11-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19F22-SJ
自锁钮 Maintained		1NO+1NC	铜镀铬 C opper chromium piating	GL-19F11T-NJ	
		2NO+2NC	不锈钢 Stainless steel	GL-19F22T-SJ	
凸钮 / 焊接脚 High button/Weldingl	自复钮 Momentary	1NO+1NC	铜镀铬 C opper chromium piating	GL-19H11-NJ	
		2NO+2NC	不锈钢 Stainless steel	GL-19H22-SJ	
	自锁钮 Maintained	1NO+1NC	铜镀铬 C opper chromium piating	GL-19H11T-NJ	
		2NO+2NC	不锈钢 Stainless steel	GL-19H11T-NJ	


产品样式 Product style	描述 description			外壳材料 Shell material	型号 Model
 安装孔径 Φ19mm Mounting aperture	(24 V 红色 R) 平钮焊接脚 (环形带灯) Flat button Weldingl (Annular belt lamp)	自复钮 Momentary	1NO+1NC	铜镀铬 C opper chromium piating	GL-19F11E/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19F22E/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 C opper chromium piating	GL-19F11TE/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19F22TE/R23-SJ
	(24 V 红色 R) 凸钮焊接脚 (环形带灯) High button Weldingl (Annular belt lamp)	自复钮 Momentary	1NO+1NC	铜镀铬 C opper chromium piating	GL-19H11E/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19H22E/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 C opper chromium piating	GL-19H11TE/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19H22TE/R23-SJ
 安装孔径 Φ19mm Mounting aperture	(24 V 红色 R) 平钮焊接脚 (电源指示) Flat button Weldingl (Power indication)	自复钮 Momentary	1NO+1NC	铜镀铬 C opper chromium piating	GL-19F11S/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19F22S/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 C opper chromium piating	GL-19F11TS/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19F22TS/R23-SJ
	(24 V 红色 R)C 凸钮 焊接脚 (电源指示) High button Weldingl (Power indication)	自复钮 Momentary	1NO+1NC	铜镀铬 C opper chromium piating	GL-19H11S/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19H22S/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 C opper chromium piating	GL-19H11TS/R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19H22TS/R23-SJ
 安装孔径 Φ19mm Mounting aperture	焊接脚 Weldingl	二档旋钮 2-Position Selector button	1NO+1NC	铜镀铬 C opper chromium piating	GL-19X11-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19X22-SJ
		三档旋钮 3-Position Selector button	1NO+1NC	铜镀铬 C opper chromium piating	GL-19XS22-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19XS22-SJ
 安装孔径 Φ19mm Mounting aperture	焊接脚 Weldingl (24V 红色 R)	二档旋钮 2-Position Selector button	1NO+1NC	铜镀铬 C opper chromium piating	GL-19X11/ R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19X22/ R23-SJ
		三档旋钮 3-Position Selector button	1NO+1NC	铜镀铬 C opper chromium piating	GL-19XS22/ R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19XS22/ R23-SJ
 安装孔径 Φ19mm Mounting aperture	焊接脚 Weldingl	二档钥匙钮 2-Position keylock selector	1NO+1NC	铜镀铬 C opper chromium piating	GL-19Y11-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19Y11-SJ
		三档钥匙钮 3-Position keylock selector	1NO+1NC	铜镀铬 C opper chromium piating	GL-19YS22-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-19YS22-SJ
 安装孔径 Φ19mm Mounting aperture	蘑菇钮 Mushroom push button 焊接脚 Weldingl		1NO+1NC	铜镀铬 C opper chromium piating	GL-19M11/R-NJ
			2NO+2NC	铜镀铬 C opper chromium piating	GL-19M22/R-NJ
			1NO+1NC	不锈钢 Stainless steel	GL-19M11/R-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-19M22/R-SJ
 安装孔径 Φ19mm Mounting aperture	急停 emergency stop button 焊接脚 Weldingl		1NO+1NC	铜镀铬 Copper chromium piating	GL-19Z11-AJ
			2NO+2NC	铜镀铬 Copper chromium piating	GL-19Z22-AJ
 安装孔径 Φ19mm Mounting aperture	大急停钮 emergency stop button(Big head)		1NO+1NC	铜镀铬 Copper chromium piating	GL-19ZC11-AJ
			2NO+2NC	铜镀铬 Copper chromium piating	GL-19ZC22-AJ

GL-19 壳体可电镀彩色 The shell can be plated with color



产品样式 Product style	描述 description			外壳材料 Shell material	型号 Model
 安装孔径 Φ22mm Mounting aperture	平钮 / 接线柱 Flat button/ Terminal	自复钮 Momentary	1NO	铜镀铬 Copper chromium plating	GL-22FA10-N
			1NO	不锈钢 Stainless steel	GL-22FA10-S
	凸钮 / 接线柱 High button/ Terminal	自复钮 Momentary	1NO	铜镀铬 Copper chromium plating	GL-22HA10-N
			1NO	不锈钢 Stainless steel	GL-22HA10-S
 安装孔径 Φ22mm Mounting aperture	(24 V 红色 R) 平钮 / 接线柱 (环形带灯) Flat button/ Terminal (Annular belt lamp)	自复钮 Momentary	1NO	铜镀铬 Copper chromium plating	GL-22FA10E/R23-N
			1NO	不锈钢 Stainless steel	GL-22FA10E/R23-S
		自复钮 Momentary	1NO	铜镀铬 Copper chromium plating	GL-22FA10TE/R23-N
			1NO	不锈钢 Stainless steel	GL-22FA10TE/R23-S
 安装孔径 Φ22mm Mounting aperture	平钮 / 焊接脚 Flat button/Weldingl	自复钮 Momentary	1NO+1NC	铜镀铬 Copper chromium plating	GL-22F11-NJ
			1NO+1NC	不锈钢 Stainless steel	GL-22F11-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 Copper chromium plating	GL-22F11T-NJ
			1NO+1NC	不锈钢 Stainless steel	GL-22F11T-SJ
 安装孔径 Φ22mm Mounting aperture	(24 V 红色 R) 平钮 Flat button 焊接脚 (环形带灯) Weldingl (Annular belt lamp)	自复钮 Momentary	1NO+1NC	铜镀铬 Copper chromium plating	GL-22F11E/R23-NJ
			1NO+1NC	不锈钢 Stainless steel	GL-22F11E/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 Copper chromium plating	GL-22F11TE/R23-NJ
			1NO+1NC	不锈钢 Stainless steel	GL-22F11TE/R23-SJ
 安装孔径 Φ22mm Mounting aperture	(24 V 红色 R) 平钮 Flat button 焊接脚 (电源指示) Weldingl (Power indication)	自复钮 Momentary	1NO+1NC	铜镀铬 Copper chromium plating	GL-22F11S/R23-NJ
			1NO+1NC	不锈钢 Stainless steel	GL-22F11S/R23-SJ
		自锁钮 Maintained	1NO+1NC	铜镀铬 Copper chromium plating	GL-22F11TS/R23-NJ
			1NO+1NC	不锈钢 Stainless steel	GL-22F11TS/R23-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Weldingl	二档旋钮 2-Position Selector button	1NO+1NC	铜镀铬 Copper chromium plating	GL-22X11-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-22X22-SJ
		三档旋钮 3-Position Selector button	2NO+2NC	铜镀铬 Copper chromium plating	GL-22XS22-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-22XS22-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Weldingl (24 V 红色 R)	二档旋钮 2-Position Selector button	1NO+1NC	铜镀铬 Copper chromium plating	GL-22X11/ R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-22X22/ R23-SJ
		三档旋钮 3-Position Selector button	2NO+2NC	铜镀铬 Copper chromium plating	GL-22XS22/ R23-NJ
			2NO+2NC	不锈钢 Stainless steel	GL-22XS22/ R23-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Weldingl 圆外套球形钮 Spherical (Round coat)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-22BE11-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-22BE22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-22BE11T-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-22BE22T-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Weldingl 圆外套平钮 Flat button(Round coat)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-22FE11-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-22FE22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-22FE11T-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-22FE22T-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Weldingl 圆外套凸钮 High button(Round coat)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-22HE11-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-22HE22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-22HE11T-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-22HE22T-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Weldingl 24V 红色 R 环形带灯 Annular belt lamp 圆外套平钮 Flat button(Round coat)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-22FE11E/R23-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-22FE22E/R23-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-22FE11TE/R23-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-22FE22TE/R23-SJ

产品样式 Product style	描述 description				外壳材料 Shell material	型号 Model
   安装孔径 Φ22mm Mounting aperture	焊接脚 Welding 圆外套平钮 Flat button(Round coat)	自复钮 Momentary	绿色 G	1NO+1NC	塑料 Plastic	GL-22FE11/G-PJ
			24V 绿色 G	1NO+1NC	塑料 Plastic	GL-22FE11/G23-PJ
		自锁钮 Maintained	红色钮 R	2NO+2NC	塑料 Plastic	GL-22FE22T/R-PJ
			24V 红色 R	1NO+1NC	塑料 Plastic	GL-22FE11T/R23-PJ
	电源指示 Power indication 焊接脚 Welding 圆外套平钮 Flat button(Round coat)	自复钮 Momentary	绿色 G	1NO+1NC	塑料 Plastic	GL-22FE11S/G-PJ
			24V 绿色 G	1NO+1NC	塑料 Plastic	GL-22FE11S/G23-PJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Welding 方外套球形钮 Spherical (Square coat)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-22BF11-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-22BF22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-22BF11T-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-22BF22T-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Welding 方外套平钮 Flat button(Square coat)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-22FF11-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-22FF22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-22FF11T-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-22FF22T-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Welding 方外套凸钮 High button(Square coat)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-22HF11-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-22HF22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-22HF11T-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-22HF22T-SJ
 安装孔径 Φ22mm Mounting aperture	焊接脚 Welding 24V 红色 R 环形带灯 Annular belt lamp 方外套平钮 Flat button(Square coat)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-22FF11E/R23-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-22FF22E/R23-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-22FF11TE/R23-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-22FF22TE/R23-SJ
 安装孔径 Φ25mm Mounting aperture	平钮 / 焊接脚 Flat button/Welding	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-25F11-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25F22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-25F11T-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25F22T-SJ
 安装孔径 Φ25mm Mounting aperture	凸钮 / 接线柱 High button/ Terminal	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-25H11-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25H22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-25H11T-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25H22T-SJ
 安装孔径 Φ25mm Mounting aperture	(24V 红色 R) 平钮 Flat button 焊接脚 (单点带灯) Welding (Single point)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-25F11D/R23-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25F22D/R23-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-25F11TD/R23-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25F22TD/R23-SJ
 安装孔径 Φ25mm Mounting aperture	(24V 红色 R) 平钮 Flat button 焊接脚 (环形带灯) Welding (Annular belt lamp)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-25F11E-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25F22E-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-25F11TE-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25F22TE-SJ
 安装孔径 Φ25mm Mounting aperture	(24V 红色 R) 平钮 Flat button 焊接脚 (电源指示) Welding (Power indication)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel		GL-25F11S/R23-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25F22S/R23-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel		GL-25F11TS/R23-SJ
			2NO+2NC	不锈钢 Stainless steel		GL-25F22TS/R23-SJ

产品样式 Product style	描述 description			外壳材料 Shell material	型号 Model
 安装孔径 Φ30mm Mounting aperture	平钮 / 焊接脚 Flat button/Weldingl	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-30F11-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30F22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-30F11T-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30F22T-SJ
 安装孔径 Φ30mm Mounting aperture	凸钮 / 接线柱 High button/ Terminal	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-30H11-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30H22-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-30H11T-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30H22T-SJ
 安装孔径 Φ30mm Mounting aperture	(24 V 红色 R) 平钮 Flat button 焊接脚 (单点带灯) Weldingl (Single point)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-30F11D/R23-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30F22D/R23-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-30F11TD/R23-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30F22TD/R23-SJ
 安装孔径 Φ30mm Mounting aperture	(24 V 红色 R) 平钮 Flat button 焊接脚 (环形带灯) Weldingl (Annular belt lamp)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-30F11E/R23-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30F22E/R23-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-30F11TE/R23-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30F22TE/R23-SJ
 安装孔径 Φ30mm Mounting aperture	(24 V 红色 R) 平钮 Flat button 焊接脚 (电源指示) Weldingl (Power indication)	自复钮 Momentary	1NO+1NC	不锈钢 Stainless steel	GL-30F11S/R23-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30F22S/R23-SJ
		自锁钮 Maintained	1NO+1NC	不锈钢 Stainless steel	GL-30F11TS/R23-SJ
			2NO+2NC	不锈钢 Stainless steel	GL-30F22TS/R23-SJ
	按钮插座 button socket 适应安装尺寸： Suitable for installation size: Φ16、Φ19、Φ22mm 大底座 Large base	5 根线 wireway		塑料 Plastic	GL-S16-5
		8 根线 wireway		塑料 Plastic	GL-S16-8
	按钮插座 button socket 适应安装尺寸： Suitable for installation size: Φ22、Φ25、Φ30mm 大底座 Large base	6 根线 wireway		塑料 Plastic	GL-S22-6
	按钮插座 Button socket 适应安装尺寸： Suitable for installation size: Φ22、Φ25、Φ30mm 大底座 Large base	6 根线 wireway		塑料 Plastic	GL-S25-6
		10 根线 wireway		塑料 Plastic	GL-S25-10
	按钮防护座 Button protection seat 适应安装尺寸：Φ19mm Suitable for installation size: Φ19mm			塑料 Plastic	GXB2-EC19
	按钮防护片 Button shield	适应安装尺寸：Φ16mm Suitable for installation size: Φ16mm			GXB2-ZB16FL
		适应安装尺寸：Φ19mm Suitable for installation size: Φ19mm			GXB2-ZB19FL
		适应安装尺寸：Φ22mm Suitable for installation size: Φ22mm			GXB2-ZB22FL